AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions and listings of claims in the application:

Listing of Claims:

Claim 1 (Currently amended). A process for the preparation of a recombinant polypeptide, comprising the steps of

- a) fermenting a prokaryotic host cell <u>in a fermentation medium, the host cell</u> comprising a periplasm and being transformed with a recombinant expression system capable of effecting secretion of the polypeptide into the periplasm, wherein the fermentation is performed in [[a]] <u>the fermentation medium under conditions such that the polypeptide is secreted into the periplasm of the host cell, and</u>
- b) interrupting the further processing of the <u>host cell in the</u> fermentation <u>medium</u> harvest broth and maintaining <u>the medium [[it]]</u> under defined conditions of temperature and pH prior to extraction <u>of the polypeptide</u>.

Claim 2 (Canceled).

Claim 3 (Currently amended). A process according to claim 1, wherein the further processing of the fermentation <u>medium harvest broth</u> is interrupted for a period of <u>from</u> about one hour to about 72 hours.

Claim 4 (Currently amended). A process according to claim 1, wherein the further processing of the fermentation <u>medium harvest broth</u> is interrupted for a period of <u>from</u> about 12 hours to about 48 hours.

Claim 5 (Currently amended). A process according to claim 1, wherein the further

Application No. 10/568,329 June 9, 2008 Reply to Office Action of January 8, 2008

processing of the fermentation <u>medium</u> harvest broth is interrupted for a <u>period of from</u> about 12 hours [1.] to about 24 hours or about 48 hours.

Claim 6 (Currently amended). A process according to claim 1, wherein the interruption of the further processing of the fermentation <u>medium harvest broth</u> is performed at a temperature of from about 2°C to about 65°C.

Claim 7 (Currently amended). A process according to claim 1, wherein the interruption of the further processing of the fermentation <u>medium harvest broth</u> is performed at a temperature of <u>from</u> about 4°C to about 25°C.

Claim 8 (Currently amended). A process according to claim 1, wherein the interruption of the further processing of the fermentation <u>medium harvest broth</u> is performed at a temperature of about 4°C; from about 10°C; about 15°C, about 20°C or to about 25°C.

Claim 9 (Currently amended). A process according to claim 1, wherein the pH value of the fermentation <u>medium harvest broth</u> is maintained between at a pH of from about 4 to about 10 during step b).

Claim 10 (Currently amended). A process according to claim 1, wherein the pH value of the fermentation medium harvest broth is maintained between at a pH of from about 5 to about 9 during step b).

Claim 11 (Currently amended). A process according to claim 1, wherein the pH value of the fermentation medium harvest broth is maintained between at a pH of from about 6 to about 8 during step b).

Claim 12 (Currently amended), A process according to claim 1, wherein the pH value of

Application No. 10/568,329 June 9, 2008 Reply to Office Action of January 8, 2008

the fermentation medium harvest broth is maintained at about 7 during step b).

Claim 13 (Currently amended). A process according to claim 1, wherein the further processing of the fermentation <u>medium harvest broth</u> is interrupted for a period of <u>from</u> about 12 hours, about 24 hours or to about 48 hours <u>and</u> at a temperature of <u>from</u> about 4°C, about 10°C, about 15°C, about 20°C or to about 25°C.

Claim 14 (Previously presented). A process according to claim 1, wherein the fermentation medium harvest broth is concentrated prior to step b).

Claim 15 (Previously presented). A process according to claim 1, wherein the fermentation medium harvest broth-is concentrated by centrifugation or micro filtration prior to step b).

Claim 16 (Currently amended). A process according to claim 1, wherein step b) is performed in [[the]] a fermenter.

Claim 17 (Currently amended). A process according to claim 1, wherein the prokaryotic host cell [[is]] comprises a Gram-negative bacterium.

Claim 18 (Original). A process according to claim 17, wherein the Gram-negative bacterium is selected from the group consisting of Escherichia sp., Pseudomonas sp., Enterobacter sp., Erwinia sp., Campylobacter sp., Proteus sp., Aeromonas sp. and Vitreoscilla sp.

Claim 19 (Currently amended). A process according to claim 17, wherein the Gram-negative bacterium [[is]] comprises Escherichia coli. Application No. 10/568,329 June 9, 2008 Reply to Office Action of January 8, 2008

Claim 20 (Currently amended). A process according to claim 1, wherein the recombinant polypeptide is <u>selected from the group consisting of</u> an antibody, a hormone [[or]], and an immunomodulating agent.

Claim 21 (Currently amended). A process according to claim 1, wherein the recombinant polypeptide is selected from the group consisting of a growth hormone, a growth factor, an interferon, a cytokine, an enzyme, an enzyme inhibitor [[or]], and an antibody fragment.

Claim 22 (Currently amended). A process according to claim 1, wherein the recombinant polypeptide is <u>selected from the group consisting of a Fab-fragment</u>, human growth hormone, interferon alpha-2b [[or]]_<u>and</u> granulocyte colony-stimulating factor.

Claim 23 (Canceled).